MedCrave
Step into the World of Research

International Clinical Pathology Journal

Review Article

Open Access

CrossMark

Nutraceuticals and human organ health: a targeted nutritional approach to disease prevention, management, and recovery

Abstract

The human body functions as an interconnected network of organs, each requiring specific nutrients to maintain its structure, function, and ability to recover from disease. Nutritional deficiencies, oxidative stress, chronic inflammation, and metabolic disturbances can gradually impair vital organs, including the brain, heart, liver, kidneys, lungs, and gastrointestinal tract. In this context, nutraceuticals have emerged as promising bioactive agents that may support organ health and contribute to the prevention and management of various chronic diseases. This review explores the therapeutic potential of nutraceuticals such as omega-3 fatty acids, curcumin, polyphenols, probiotics, vitamins, minerals, and plant-derived bioactive compounds in addressing organ-specific disorders. Their potential roles include supporting cardiovascular health, protecting neuronal function in neurodegenerative conditions, regulating glucose metabolism in diabetes, maintaining liver function, improving gut microbial balance, and reducing inflammation associated with chronic diseases. Particular attention is given to the mechanisms through which these compounds may influence antioxidant defense, immune regulation, cellular signaling, and metabolic homeostasis. Emerging pharmaceutical approaches, including nano formulations and targeted delivery systems, may further improve the stability, bioavailability, and therapeutic effectiveness of selected nutraceuticals. Despite their potential, nutraceuticals are not universally effective, and their clinical benefits depend on formulation, dosage, individual health status, and scientific evidence. Possible adverse effects and interactions with conventional medicines also require careful consideration. Integrating evidence-based nutraceutical strategies with balanced nutrition, lifestyle modification, and appropriate medical treatment may offer a promising pathway toward personalized and preventive healthcare. Future research should prioritize well-designed clinical trials to establish their safety, efficacy, and role in modern therapeutics.

Keywords: nutraceuticals, human organ health, chronic diseases, organ protection, bioactive compounds, antioxidants, targeted drug delivery, personalized nutrition, disease prevention, therapeutic management

Volume 11 Issue 1 - 2026

Niraj Gupta
Professor, College of Pharmacy Agra, Dr A P J Abdul Kalam Technical University, India

Correspondence: Dr Niraj Gupta, Professor, College of Pharmacy Agra, Dr. A.P.J. Abdul Kalam Technical University, India, Tel +9012395301

Received: October 30, 2026 | **Published:** November 16, 2026

Introduction

Nutraceuticals are specialized preparations developed to meet particular nutritional requirements and support preventive healthcare. They comprise nutrients and bioactive substances derived from foods that may provide health benefits beyond basic nutritional support, including potential roles in disease prevention and management. The term nutraceutical was coined by Dr. Stephen L. DeFelice in 1989 by combining the words "nutrition" and "pharmaceutical." This concept reflects the growing recognition that certain foods and their constituents may contribute to maintaining health and improving quality of life. Over time, nutritional science has evolved from primarily addressing nutrient deficiencies to investigating the role of dietary components in maintaining physiological functions and managing chronic diseases.

The development of the nutraceutical concept has also introduced related terms, including dietary supplements, food supplements, and functional foods. However, the boundaries between these categories are not always clearly defined and vary according to regulatory frameworks and intended uses. Recent scientific literature increasingly emphasizes the need to evaluate nutraceuticals in terms of efficacy, safety, toxicity, and clinical relevance. Food products traditionally provide essential nutrients, energy, and materials required for growth and normal physiological functioning. Advances in food science and pharmaceutical technology have enabled the isolation, identification, and characterization of individual nutrients and bioactive compounds, expanding their potential applications in healthcare.[1,2]

A meaningful distinction between food supplements and nutraceuticals can be established by considering their intended purpose, target population, mechanism of action, and supporting scientific evidence. Food supplements are generally intended to complement the normal diet or compensate for deficiencies in micronutrients and macronutrients. In contrast, nutraceuticals are frequently investigated for their potential physiological effects and their possible contribution to the prevention or management of specific pathological conditions. Any therapeutic claim associated with a nutraceutical should be supported by appropriate scientific and clinical evidence. Ideally, a well-developed formulation should demonstrate a favorable safety profile, adequate bioavailability, reproducible quality, and clinically meaningful benefits. Nevertheless, the same ingredient may be classified differently depending on its formulation, intended use, and permitted health claims.

Nutraceuticals may include preparations containing probiotics, prebiotics, and other bioactive food components, whereas food supplements commonly include vitamins, minerals, proteins, amino acids, and selected herbal products. These categories can overlap, and their precise classification depends on the applicable regulatory requirements. Incorporating appropriate nutraceuticals into a balanced

Submit Manuscript | http://medcraveonline.com

©2026 Gupta. This is an open access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and build upon your work non-commercially.

Copyright: ©2026 Gupta.

diet may support disease prevention and complement conventional healthcare in selected circumstances. Certain herbs, spices, and other food-derived substances have attracted considerable research interest because of their potential antioxidant, anti-inflammatory, and metabolic effects. However, their effectiveness depends on the specific compound, dose, formulation, and clinical condition. Nutraceuticals should not be assumed to replace established pharmaceutical treatments without adequate evidence.[3]

Despite their potential benefits, the increasing availability of nutraceutical products highlights the importance of appropriate administration, professional guidance, quality control, and regulatory oversight. Unsupervised use may result in adverse effects, excessive nutrient intake, product-related toxicity, or interactions with prescribed medicines. Consequently, systematic safety and efficacy assessments are essential for ensuring their responsible use. Researchers have also investigated pharmaceutical compounds and advanced formulation strategies to improve the therapeutic performance and bioavailability of selected bioactive substances. However, pharmaceutical medicines and nutraceutical ingredients must be distinguished clearly when evaluating their respective benefits and risks.

In cardiovascular healthcare, statins are established pharmaceutical agents used to manage cholesterol levels and reduce cardiovascular risk in appropriate patients. Their use during pregnancy requires particular caution and individualized medical assessment. Separately, nutraceutical candidates such as calcium, omega-3 polyunsaturated fatty acids, vitamin D, folic acid, resveratrol, alpha-lipoic acid, zinc, inositol, and probiotics have been investigated for their possible roles in maternal health, metabolic regulation, and the prevention or management of pregnancy-associated complications. The strength of evidence and safety considerations differ considerably among these substances, and their potential benefits should be evaluated for each specific indication.[4]

Furthermore, research has explored the combination of nutraceutical formulations with pharmaceutical agents to investigate possible improvements in efficacy, tolerability, or bioavailability. Ezetimibe, a cholesterol-lowering medicine, has been studied in combination with other lipid-management approaches, while nutraceutical ingredients have also been investigated as adjuncts to non-steroidal anti-inflammatory drugs (NSAIDs) in osteoarthritis. Such combinations may offer promising research opportunities; however, their clinical value must be established through appropriately designed studies assessing efficacy, safety, drug interactions, and relevant patient outcomes. Overall, the continued integration of nutritional science, pharmaceutical formulation research, and clinical investigation may contribute to the development of evidence-based nutraceutical interventions for preventive and supportive healthcare (Figure 1).[5,6]




Figure 1 Clinical evidence for nutraceuticals for preventive and supportive healthcare

Nutraceuticals encompass a wide range of products that provide health benefits beyond basic nutrition. Stability is a critical aspect in ensuring the efficacy and safety of nutraceuticals. Here's an overview of some common types of nutraceuticals and considerations for their stability:

i. **Vitamins and minerals**: These micronutrients are essential for various bodily functions. Stability concerns for vitamins and minerals include degradation due to light, heat, oxygen, and moisture. Encapsulation or microencapsulation techniques can help protect them from environmental factors.

ii. **Herbal extracts**: Plant-derived compounds often used for their therapeutic properties. Stability of herbal extracts can be influenced by factors such as solvent used in extraction, storage conditions, and presence of reactive compounds. Formulation techniques like freeze-drying or spray-drying can improve stability.

iii. **Probiotics**: Live microorganisms that confer health benefits when consumed in adequate amounts. Stability of probiotics is crucial to maintain viability during storage and consumption. Factors such as temperature, moisture, oxygen exposure, and acidity can affect their stability. Encapsulation in protective matrices and freeze-drying are common methods to enhance stability.

iv. **Omega-3 fatty acids**: Essential fatty acids known for their cardiovascular and cognitive health benefits. Omega-3 oils are prone to oxidation, leading to rancidity and loss of efficacy. Stability can be improved by using antioxidants, such as tocopherols or rosemary extract, and storing them in dark, cool conditions.

v. **Amino acids and proteins**: Building blocks of proteins, amino acids, and protein supplements are used for muscle repair, metabolism, and other functions. Stability concerns include denaturation, aggregation, and degradation. Proper formulation, storage, and packaging can mitigate stability issues.

vi. **Antioxidants**: Compounds that neutralize free radicals and prevent oxidative damage in the body. Stability of antioxidants is crucial to ensure efficacy. Factors such as exposure to light, heat, and oxygen can degrade antioxidants. Packaging in opaque containers and using stabilizers can help maintain stability.

vii. **Prebiotics**: Non-digestible fibers that promote the growth of beneficial gut bacteria. Stability considerations for prebiotics include moisture content and susceptibility to enzymatic degradation. Proper packaging to prevent moisture ingress and formulation with protective coatings can enhance stability.

viii. **Functional foods**: Foods fortified with nutraceutical ingredients to provide specific health benefits. Stability of functional foods depends on the stability of added nutraceuticals as well as the food matrix itself. Formulation, processing, and storage conditions play key roles in maintaining stability.

ix. **Phytochemicals**: Bioactive compounds found in plants that have potential health benefits. Stability of phytochemicals can vary widely depending on their chemical structure and environmental conditions. Proper extraction methods, storage, and formulation techniques are important for preserving their stability.

x. **Polyphenols:** Found in foods such as green tea, dark chocolate, and berries, polyphenols have antioxidant and anti-inflammatory properties. They may help protect against chronic diseases and support the stability of organs like the brain and skin.

Citation: Gupta N. Nutraceuticals and human organ health: a targeted nutritional approach to disease prevention, management, and recovery. *Int Clin Pathol J.* 2026;11(1):64–70. DOI: 10.15406/icpjl.2026.11.00230

Copyright: ©2026 Gupta.

xi. **Turmeric/curcumin**: Curcumin, the active compound in turmeric, has potent anti-inflammatory and antioxidant properties. It may support the stability of joints and reduce the risk of conditions like arthritis.

xii. **Vitamin D:** Known as the sunshine vitamin, vitamin D plays a crucial role in bone health by helping the body absorb calcium. Adequate vitamin D levels may also support immune function and the stability of the skeletal system.

xiii. **Ginkgo biloba**: This herbal supplement is believed to improve cognitive function and circulation, potentially supporting the stability of the brain and reducing the risk of age-related cognitive decline.[7,8]

Different organs and their functions in the human body (Table 1)[9–11]

Table 1 Different body parts and their functions

Images of different organs	Organs	Stability mechanisms	Key functions
	Brain	Blood-brain barrier, homeostatic regulation of factors	Cognitive function, sensory processing
	Heart	Autonomic nervous system, hormonal regulation	Pumping blood, maintaining blood pressure
	Lungs	Respiratory reflexes, homeostatic regulation of gases	Gas exchange, maintaining oxygen-carbon dioxide balance
	Liver	Regenerative capacity, metabolic processes, detoxification	Metabolism, detoxification, nutrient storage
	Kidneys	Renal filtration, hormonal regulation	Electrolyte balance, fluid balance, waste excretion
	Skin	Physical barrier, temperature regulation, sweating	Protection, thermoregulation, sensation
	Digestive system	Enzymatic processes, absorption, peristalsis	Nutrient digestion, absorption, waste elimination

Table 2 Nutraceuticals application for different body parts

Table 3 List of nutraceuticals and their application site in the human body

Application of nutraceutical for treatment of different diseases related to different organs of human body (Table 2)[12,13]

Table 2 Nutraceuticals application for different body parts

Nutraceutical	Organ(s) supported	Potential benefits	Food sources
Omega-3 Fatty Acids	Heart	Cardiovascular health, reduces inflammation	Fish oil, flaxseeds, walnuts
Probiotics	Gut	Gut health, immune support	Yogurt, kefir, fermented foods
Antioxidants	Overall health	Cellular protection, anti-aging	Berries, citrus fruits, nuts, leafy greens
Polyphenols	Brain, Skin	Antioxidant, anti-inflammatory	Green tea, dark chocolate, berries
Turmeric/Curcumin	Joints	Anti-inflammatory, supports joint health	Turmeric spice, curry dishes
Coenzyme Q10 (CoQ10)	Heart, Liver	Cellular energy production, antioxidant	Fish, meat, whole grains
Vitamin D	Bones, Immune System	Bone health, immune support	Sunlight, fortified foods, fatty fish
Ginkgo Biloba	Brain, Circulation	Cognitive function, circulation support	Ginkgo supplements, herbal teas
Glucosamine/Chondroitin	Joints	Joint health, cartilage stability	Shellfish, joint supplements

Different types of nutraceuticals and their application sites with their health benefits[14]

Nutraceuticals help enhance health, wellbeing and modulating immunity, thus preventing and treating various diseases and health issues. There are a variety of diseases that can be treated with the help of nutraceuticals which are discussed below (Table 3):

Citation: Gupta N. Nutraceuticals and human organ health: a targeted nutritional approach to disease prevention, management, and recovery. *Int Clin Pathol J.* 2026;11(1):64–70. DOI: 10.15406/icpjl.2026.11.00230

Copyright: ©2026 Gupta.

Table 3 List of nutraceuticals and their application site in the human body

Nutrient	Target site of the body	Benefits
Biotin	Hair	Promotes hair growth, maintains hair health
Vitamin C	Hair	Supports collagen production for hair strength
Omega-3 fatty acids	Hair	Nourishes hair follicles, reduces inflammation
Vitamin D	Ears	Supports bone health including those in the ear
Zinc	Ears	Supports immune function, aids in wound healing
Magnesium	Ears	Regulates nerve function, supports hearing
Calcium	Teeth	Strengthens tooth enamel, supports bone health
Vitamin D	Teeth	Facilitates calcium absorption for tooth health
Vitamin K	Teeth	Assists in blood clotting for gum health
Fluoride	Teeth	Strengthens tooth enamel, prevents decay
Vitamin A	Eyes	Supports vision health, particularly night vision, reduces dry eye symptoms, supports retinal health
Omega-3 fatty acids	Brain	Promotes brain development and cognitive function
Zinc	Brain	Supports cognitive function and neurotransmission
Vitamin B12	Brain	Essential for neurological function and mood regulation
Vitamin C	Eyes	Acts as an antioxidant, protecting against age-related eye diseases
Vitamin C	Nose	Boosts immune function, reducing the severity of nasal congestion
Vitamin E	Brain	Provides neuroprotective effects and supports cognitive health
Vitamin E	Eyes	Protects against oxidative damage and maintains eye health

Psychoplastogens, psilocybin, traditional medicinal plants, and bee products in neuroprotection[15,16]

The growing intersection of neuroscience, pharmacognosy, and molecular pharmacology has renewed interest in psychoplastogens, psilocybin, traditional medicinal plants, and bee-derived products as potential sources of neuroprotective agents. These substances represent distinct but complementary approaches to understanding neuronal plasticity, oxidative stress, neuroinflammation, and abnormal neuronal excitability. Rather than acting through a single biological pathway, their reported effects involve complex interactions among neurotransmitter receptors, intracellular signaling networks, antioxidant defenses, inflammatory mediators, and neuronal survival mechanisms.

Psychoplastogens and the emerging science of neuronal plasticity

Psychoplastogens are compounds capable of rapidly promoting structural and functional neuronal plasticity, including dendritic growth, synapse formation, and changes in neuronal connectivity. Their importance lies in the possibility of modifying neural circuits rather than merely suppressing symptoms. Several serotonergic psychedelics and investigational non-hallucinogenic compounds have demonstrated psychoplastogenic effects in preclinical models, although their mechanisms and therapeutic potential differ considerably.

At the molecular level, some psychoplastogens influence serotonin 5-HT2A receptor signaling and downstream pathways associated with brain-derived neurotrophic factor (BDNF), tropomyosin receptor kinase B (TrkB), mammalian target of rapamycin (mTOR), and extracellular signal-regulated kinase (ERK). These pathways regulate synaptic protein synthesis, dendritic remodeling, and neuronal adaptation. However, the precise contribution of each pathway remains under investigation, and findings from experimental models should not automatically be extrapolated to human neurological disorders.

An important research direction is to determine whether psychoplastogenic activity can be separated from hallucinogenic effects. Such an approach could support the development of compounds that promote adaptive neural remodeling while minimizing perceptual disturbances and other unwanted effects. Their potential relevance to neuroprotection is particularly interesting because enhancing plasticity is not equivalent to preventing neuronal injury. Future studies must establish whether these compounds also reduce oxidative damage, preserve neuronal viability, or improve disease-specific functional outcomes.

Psilocybin: beyond psychedelic effects toward neurobiological remodeling

Psilocybin is a naturally occurring tryptamine found in certain mushroom species. Following ingestion, it is converted into psilocin, which interacts primarily with serotonin 5-HT2A receptors and alters neural information processing. Contemporary research has focused on its potential to influence neuroplasticity, emotional processing, and maladaptive neural-network activity. A 2025 review describes its growing relevance to psychiatric research while emphasizing unresolved questions about efficacy, long-term safety, and clinical implementation.

The scientific interest in psilocybin extends to its possible influence on neuroprotective pathways. Experimental research suggests that psychedelic-associated changes in neuronal signaling may promote dendritic remodeling and synaptic connectivity. These changes could be relevant to disorders involving disrupted neural circuits, including certain neuropsychiatric conditions. However, the evidence for treating depression cannot be interpreted as proof that psilocybin prevents neurodegeneration or controls epileptic seizures.

An important distinction is that neuroplasticity, antioxidant activity, and neuroprotection are separate biological outcomes. A compound may enhance synaptic plasticity without reducing oxidative damage, while another may protect neurons without producing substantial

Copyright: ©2026 Gupta.

structural remodeling. A recent systematic review and meta-analysis found no significant overall increase in peripheral blood BDNF following administration of psychoplastogens in humans, illustrating why promising preclinical mechanisms require careful clinical validation.

Future research should investigate whether specific downstream signaling pathways associated with psilocybin can be activated independently of its intense psychoactive effects. Such work may contribute to the development of more selective neurotherapeutics, provided that safety, reproducibility, and clinically meaningful outcomes are established.

Traditional medicinal plants: multi-target protection against oxidative stress and neuronal hyperexcitability

Traditional medicinal plants offer a chemically diverse reservoir of alkaloids, flavonoids, terpenoids, and phenolic compounds. Unlike many synthetic agents developed against a single molecular target, plant-derived compounds may influence several interconnected mechanisms involved in neuronal injury. Recent reviews have highlighted their potential relevance to cognitive impairment, neurodegenerative disorders, and epilepsy, although the strength of evidence varies between individual plants and preparations.

Representative candidates include:[17–19]

Bacopa monnieri (Brahmi): Its bacosides have been investigated for effects on memory, neuronal signaling, and oxidative stress. Research directions include examining endogenous antioxidant defenses, synaptic function, and inflammatory responses. The extent to which these mechanisms translate into clinically meaningful neuroprotection remains uncertain.

Curcuma longa (Turmeric): Curcumin is studied for antioxidant, anti-inflammatory, and mitochondrial effects. Potential mechanisms include modulation of Nrf2-associated antioxidant responses and NF-κB-related inflammatory signaling. Epilepsy research has explored whether these effects can reduce seizure-associated oxidative damage, but findings from purified compounds or experimental formulations should not be generalized to ordinary turmeric consumption.

Withania somnifera (Ashwagandha): Withanolides and other constituents are being investigated for their effects on inflammatory signaling, oxidative balance, stress-related responses, and neuronal function. Standardization of extracts is essential because different preparations may contain substantially different concentrations of active constituents.

Centella asiatica (Gotu kola): Asiatic acid and related triterpenoids are of interest because experimental studies suggest possible effects on mitochondrial function, oxidative stress, inflammatory responses, and neuronal survival. Research has also examined its constituents in seizure-related models, but robust clinical evidence for epilepsy treatment is lacking.

Nigella sativa (Black seed): Thymoquinone has been investigated for its potential to influence oxidative stress, inflammatory mediators, and neuronal excitability. Experimental epilepsy models have reported promising signals, making it a candidate for further antiseizure research. Nevertheless, preclinical activity does not establish efficacy or an appropriate dose in humans.

The central scientific opportunity is to identify which constituents produce measurable effects, which molecular targets are essential, and whether those effects persist at exposures achievable in humans. Multi-target activity should be treated as a hypothesis to test rather than automatic evidence of superior therapeutic performance.

Bee products: natural redox modulators and emerging neuroprotective candidates

Bee-derived products are gaining research attention because they contain complex mixtures of phenolic compounds, flavonoids, peptides, lipids, and other biologically active constituents. Honey, propolis, royal jelly, bee pollen, and bee bread have different chemical profiles and should not be considered interchangeable. Their potential neurological relevance is linked primarily to antioxidant defense, inflammatory regulation, mitochondrial function, and cellular survival.

Honey: Honey contains variable amounts of phenolic acids and flavonoids, depending on floral origin and processing. These compounds may contribute to radical-scavenging activity. Nevertheless, laboratory antioxidant capacity does not establish that honey can reach the brain at concentrations sufficient to treat neurological disease.

Propolis: Propolis contains geographically variable mixtures of polyphenols and other constituents. It is particularly interesting for investigating Nrf2/ARE-associated antioxidant responses, NF-κB-mediated inflammation, and cellular stress regulation. Its composition and bioavailability remain major obstacles to reproducible therapeutic development.

Royal jelly: Royal jelly contains proteins, fatty acids, and other bioactive components. Research has explored its potential influence on inflammatory responses, oxidative balance, and neuronal viability. Identifying the active fractions and establishing their pharmacokinetic and safety profiles are necessary before therapeutic conclusions can be drawn.

Bee pollen and bee bread: These products contain variable mixtures of plant-derived nutrients, polyphenols, and other compounds processed or collected by bees. They are potential sources of antioxidant molecules, but their direct neuroprotective and antiseizure effects remain insufficiently established in humans.

Bee venom deserves separate consideration. Although selected venom-derived peptides are investigated for biological activity, venom is not equivalent to a nutritional bee product. Its use presents substantial safety concerns, including potentially severe allergic reactions. It should not be regarded as a self-administered neuroprotective treatment.

An important research challenge is distinguishing direct neuronal effects from indirect benefits mediated by systemic inflammation, metabolism, or vascular function. Standardized chemical fingerprints, blood–brain barrier exposure studies, and dose-dependent toxicity assessment would help clarify the therapeutic potential of individual bee-derived constituents.

Shared molecular mechanisms: a convergence of antioxidant, antiseizure, and neuroprotective effects

Although psychoplastogens, psilocybin, medicinal plants, and bee products differ considerably in composition and pharmacology, their research pathways intersect around several biological processes.

Copyright: ©2026 Gupta.

Future research directions and translational opportunities[20,21]

The next phase of research should move beyond broad claims of natural neuroprotection and adopt a more precise, mechanism-driven strategy.

i. Chemical standardization and molecular identification: Characterize plant extracts and bee products using HPLC, LC–MS/MS, and complementary analytical techniques to identify active constituents, batch variability, degradation products, and potential contaminants.

ii. Mechanistic validation: Combine molecular docking and network pharmacology with biochemical assays, gene-expression studies, receptor or enzyme experiments, and pathway-specific interventions. Computational predictions alone cannot establish biological activity.

iii. Blood–brain barrier and pharmacokinetic evaluation: Determine whether active compounds or metabolites reach the central nervous system at biologically relevant concentrations. Poor solubility, rapid metabolism, and limited brain exposure may restrict otherwise promising candidates.

iv. Disease-specific experimental design: Evaluate antioxidant effects, seizure suppression, neuronal survival, and cognitive outcomes as separate endpoints. Use chronic epilepsy and relevant neurodegeneration models where appropriate instead of relying exclusively on acute injury paradigms.

v. Advanced drug delivery: Explore liposomes, polymeric nanoparticles, nanoemulsions, and other validated delivery systems where they can demonstrably improve stability, exposure, or tissue targeting. Improved delivery must be accompanied by toxicity and biodistribution studies.

vi. Evidence-based clinical translation: Prioritize standardized preparations, reproducible formulations, pharmacokinetic studies, controlled clinical trials, and systematic assessment of adverse effects and drug interactions.

vii. AI-assisted discovery: Integrate metabolomics, molecular interaction data, transcriptomics, and machine learning to prioritize candidate molecules, predict potential targets, and identify safety liabilities. AI can accelerate hypothesis generation, but experimental and clinical validation remain indispensable.

Conclusion

Nutraceuticals offer a promising science-driven approach to supporting human organ health and managing chronic diseases through their antioxidant, anti-inflammatory, and metabolic regulatory properties. Integrating bioactive nutrients with advanced drug delivery systems and personalized healthcare may enhance their therapeutic potential. However, rigorous clinical evidence, standardized formulations, and safety evaluations remain essential to establish their effectiveness as complementary strategies alongside conventional medical treatment.

Acknowledgments

None.

Conflicts of interest

The authors declare that there are no conflicts of interest.

References

1. Eshriqui I, Valente AMM, Folchetti LD, et al. Pre-pregnancy BMI is associated with offspring body composition in adulthood before adiposity-related disorders: a retrospective cohort. *Public Health Nutr.* 2021;24(6):1296–1303.
2. González-Zapata L, Restrepo-Mesa SL, Aristizabal JC, et al. Reliability and validity of body weight and body image perception in children and adolescents from the South American Youth/Child Cardiovascular and Environmental (SAYCARE) Study. *Public Health Nutr.* 2019;22(6):988–996.
3. Simões-Wüst AP, Moltó-Puigmartí C, van Dongen MCJM, et al. Organic food consumption during pregnancy is associated with different consumer profiles, food patterns and intake: the KOALA Birth Cohort Study. *Public Health Nutr.* 2017;20(12):2134–2144.
4. Mastroeni MF, Mastroeni SSBS, Czarnobay SA, et al. Breast-feeding duration for the prevention of excess body weight of mother-child pairs concurrently: a 2-year cohort study. *Public Health Nutr.* 2017;20(14):2537–2548.
5. Canuto R, Garcez AS, Kac G, et al. Eating frequency and weight and body composition: a systematic review of observational studies. *Public Health Nutr.* 2017;20(12):2079–2095.
6. Fernández-Alvira JM, Bammann K, Eiben G, et al. IDEFICS Consortium. Prospective associations between dietary patterns and body composition changes in European children: the IDEFICS study. *Public Health Nutr.* 2017;20(18):3257–3265.
7. Maghsoudi Z, Ghiasvand R, Salehi-Abargouei A. Empirically derived dietary patterns and incident type 2 diabetes mellitus: a systematic review and meta-analysis on prospective observational studies. *Public Health Nutr.* 2016;19(2):230–241.
8. Birkhed AD, Hunsberger M, Lanfer A, et al. IDEFICS Consortium. BMI, eating habits and sleep in relation to salivary counts of mutans streptococci in children: the IDEFICS Sweden study. *Public Health Nutr.* 2016;19(6):1088–1092.
9. Draper CE, Davidowitz KJ, Goedecke JH. Perceptions relating to body size, weight loss and weight-loss interventions in Black South African women: a qualitative study. *Public Health Nutr.* 2016;19(3):548–556.
10. Bodicoat DH, Carter P, Comber A, et al. Is the number of fast-food outlets in the neighborhood related to screen-detected type 2 diabetes mellitus and associated risk factors? *Public Health Nutr.* 2015;18(9):1698–1705.
11. Jakobsen MU, Madsen L, Dethlefsen C, et al. Dietary n-6 PUFA, carbohydrate:protein ratio and change in body weight and waist circumference: a follow-up study. *Public Health Nutr.* 2015;18(7):1317–1323.
12. Duchin O, Marin C, Mora-Plazas M, et al. A prospective study of body image dissatisfaction and BMI change in school-age children. *Public Health Nutr.* 2015;18(2):322–328.
13. Karatzi K, Moschonis G, Barouti AA, et al. Healthy Growth Study Group. Dietary patterns and breakfast consumption in relation to insulin resistance in children: the Healthy Growth Study. *Public Health Nutr.* 2014;17(12):2790–2797.
14. Knowles G, Ling FCM, Thomas GN, et al. Body size dissatisfaction among young Chinese children in Hong Kong: a cross-sectional study. *Public Health Nutr.* 2015;18(6):1067–1074.
15. Som N, Mukhopadhyay S. Body weight and body shape concerns and related behaviors among Indian urban adolescent girls. *Public Health Nutr.* 2015;18(6):1075–1083.
16. Weber KS, Raab J, Haupt F, et al. Evaluating the diet of children at increased risk for type 1 diabetes: first results from the TEENDIAB study. *Public Health Nutr.* 2015;18(1):50–58.

Citation: Gupta N. Nutraceuticals and human organ health: a targeted nutritional approach to disease prevention, management, and recovery. *Int Clin Pathol J.* 2026;11(1):64–70. DOI: 10.15406/icpjl.2026.11.00230

17. Agrawal P, Gupta K, Mishra V, et al. A study on body-weight perception, future intention and weight-management behavior among normal-weight, overweight and obese women in India. *Public Health Nutr.* 2014;17(4):884–895.

18. Akbulut G, Yildirim M, Sanlier N, et al. Comparison of energy balance-related behaviors and measures of body composition between Turkish adolescents in Turkey and Turkish immigrant adolescents in the Netherlands. *Public Health Nutr.* 2014;17(12):2692–2699.

19. Ntalla I, Giannakopoulou M, Vlachou P, et al. Body composition and eating behaviours in relation to dieting involvement in a sample of urban Greek adolescents from the TEENAGE (TEENs of Attica: Genes & Environment) study. *Public Health Nutr.* 2014;17(3):561–568.

20. Verloigne M, Van Lippevelde W, Maes L, et al. Family- and school-based predictors of energy balance-related behaviors in children: a 6-year longitudinal study. *Public Health Nutr.* 2013;16(2):202–211.

21. Radzeviciene L, Ostrauskas R. Egg consumption and the risk of type 2 diabetes mellitus: a case-control study. *Public Health Nutr.* 2012;15(8):1437–1441.

Citation: Gupta N. Nutraceuticals and human organ health: a targeted nutritional approach to disease prevention, management, and recovery. *Int Clin Pathol J.* 2026;11(1):64–70. DOI: 10.15406/icpjl.2026.11.00230