

Models and data analysis of the outbreak risk of COVID-19

Abstract

With the spread of the new corona virus around the world, governments of various countries have begun to use the mathematical modeling method to construct some virus transmission models assessing the risks of spatial spread of the new corona virus COVID-19, while carrying out epidemic prevention work, and then calculate the inflection point for better prevention and control of epidemic transmission. This work analyzes the spread of the new corona virus in China, Italy, Germany, Spain, and France, and explores the quantitative relationship between the growth rate of the number of new corona virus infections and time. In investigating the dynamics of a disease such as COVID-19, its mathematical representation can be constructed at many levels of details, guided by the questions the model tries to help answer. Mathematical sophistication may have to yield to a more pragmatic approach closer to the ability to make predictions that inform public health policies.

Background: In December 2019, the first Chinese patients with pneumonia of unknown cause is China admitted to hospital in Wuhan, Hubei Jinyintan, since then, COVID-19 in the rapid expansion of China Wuhan, Hubei, in a few months time, COVID-19 is Soon it spread to a total of 34 provincial-level administrative regions in China and neighboring countries, and Hubei Province immediately became the hardest hit by the new corona virus. In an emergency situation, we strive to establish an accurate infectious disease retardation growth model to predict the development and propagation of COVID-19, and on this basis, make some short-term effective predictions. The construction of this model has Relevant departments are helpful for the prevention and monitoring of the new corona virus, and also strive for more time for the clinical trials of Chinese researchers and the research on vaccines against the virus to eliminate the new corona virus as soon as possible.

Methods: According to the original data change law, Establish a Logistic growth model, we collect and compare and integrate the spread of COVID-19

Volume 4 Issue 3 - 2020

 Jinming Cao,¹ Xia Jiang,² Bin Zhao³
¹School of Information and Mathematics, Yangtze University, China

²Hospital, Hubei University of Technology, China

³School of Science, Hubei University of Technology, China

Correspondence: Dr. Bin Zhao, School of Science, Hubei University of Technology, Wuhan, Hubei, China, Tel./Fax +86 130 2851 7572, E-mail zhaobin35@nwsuaf.edu.cn

Received: May 12, 2020 | Published: June 15, 2020

in China, Italy, France, Spain and Germany, record the virus transmission trend among people in each country and the protest measures of relevant government departments.

Findings: Based on the analysis results of the Logistic model model, the Logistic model has a good fitting effect on the actual cumulative number of confirmed cases, which can bring a better effect to the prediction of the epidemic situation and the prevention and control of the epidemic situation.

Interpretation: In the early stage of the epidemic, due to inadequate anti-epidemic measures in various countries, the epidemic situation in various countries spread rapidly. However, with the gradual understanding of COVID-19, the epidemic situation began to be gradually controlled, thereby retarding growth.

Keywords: corona virus, logistic growth model, infection prediction and prevention

Introduction

After the outbreak of COVID-19 in China, COVID-19 has also erupted in other countries in the world. Among the countries where new pneumonia outbreaks, Spain, Italy, France and Germany are more serious.¹ As of April 27, Spain, Italy, France and Germany have each accumulated diagnosed 229842 cases, 199414 cases, 165,842 cases, 158758 cases, the new crown pneumonia spread and various measures of everyday life and people's social normal operation had not Estimated impact.² In fact, there are some urgent problems to be solved regarding the spread of COVID-19. Can existing interventions effectively control COVID-19? Can you elaborate on the changes and development characteristics of each epidemic situation? Can you combine the conclusions found in the comparison of the city/region, actual national population, medical level, traffic conditions, geographic location, customs and culture, and anti-epidemic measures? What mathematical model can we build to solve the problem? COVID-19 is a new corona virus discovered in December 2019. The epidemic data is not sufficient, and clinical methods such as clinical trials are still in the exploration stage. So far, the epidemic situation data is difficult to apply directly to the existing mathematical model. The problems to be solved are: how effective the existing emergency response is and how to invest medical resources more scientifically in the future. On this basis, this article aims to study the shortcomings of this part.³⁻⁵

Methods

Data

We obtained epidemiological data from the Aminer website, the People's Republic of China from January 22 to April 3, and Spain, Italy, France, Germany from February 15 to April 27. This includes data such as cumulative confirmed cases, cumulative deaths, newly diagnosed cases per day, cumulative number of cured cases, and existing confirmed cases. The relevant input is shown in the Figures 1-5:

The model

Based on the collected epidemic data, we tried to find the propagation law of COVID-19 and proposed effective prevention and control methods. There are generally three methods for systematically studying the spread of infectious diseases. One is to establish a dynamic model of infectious diseases. The second is statistical modeling using statistical methods such as random processes and time series analysis. The third is to use data mining technology to obtain information in the data and discover the epidemic law of infectious diseases. Using the collected data from various countries, this article mainly uses the third method. In this paper, the growth model of COVID-19 transmission is established, and the prediction effect of the mathematical model on the spread of COVID-19 epidemic is compared.




Figure 1 Cumulatively confirmed cases.




Figure 2 Cumulatively cured cases.




Figure 3 Daily new cases.




Figure 4 Cumulative deaths.




Figure 5 Existing confirmed cases.

Based on logistic estimated square law

The traditional SEIR model can not describe the different developments of the epidemic well. After analyzing the actual situation and the existing data, we have established a more effective infectious disease transmission model. According to the actual situation of the epidemic, we will analyze the relevant data indicators of the five countries (cumulatively diagnosed cases, cumulative deaths, newly diagnosed cases per day, cumulative number of cured cases, existing confirmed cases) to adapt to the current situation of the new coronary pneumonia epidemic in the world propagation (Table 1).

Table 1 The significance of each parameter under the construction of logistic model

Symbol	Meaning	Unit
a,b	parameter	none
x	The time since the outbreak began to count	day
t	Time	day
y	Cumulative confirmed cases	people
x0	$e^{(-t)}$	none
y0	$1/y$	none
e	constants	none

As can be seen from the data graph, the change in cumulative death toll in Italy over time is a non-linear process. Considering the shape of the scatter plot and the model generally involving the Logistic curve model, here we use the Logistic curve model for fitting. The basic form of the logistic curve model is:

$$y = 1 / (a + b e^{(-t)})$$

Therefore, we need to transform this nonlinear process into a linear model after data processing. Take $x_0 = e^{(-t)}$, $y_0 = 1/y$; Then the original model is converted to a linear model $y_0 = a + b x_0$.

Simulation

Since COVID-19 has been developing in Italy for a long period of time, and the cumulative number of confirmed cases is relatively large, the data is more convincing, so here we take the cumulative number of confirmed cases in Italy from February 15th to May 3rd. The nonlinear model becomes a linear model, and matlab is used for fitting linear regression analysis. Matlab source code is as follows.⁶⁻⁹

```
x = [1: 1: 27];
```

```
y=[3,3,21,229,655,1701,3089,5883,10149,17660,27980,41035,59
```

```
138,74386,92472,105792,119827,132547,143626,156363,165155,175925,183957,192994,199414,205436, 210717];
```

```
plot (x, y, 'r *');
```

```
xlabel ('time')
```

```
ylabel ('population')
```

```
x0 = exp (-x);
```

```
y0 = 1. / y;
```

```
f = poly fit (x0,y0,1);
```

```
y_fit = 1 ./ (f (1). * exp (-0.338. * x) + f (2));
```

```
plot (x, y_fit *1000);
```

```
hold onplot (x,y,'r *'); xlabel ('time')
```

```
ylabel('population')
```

Results

Logistic model estimates

On the basis of the cumulative number of confirmed cases in Italy from February 15th to May 3rd, we used Matlab to establish a Logistic model and performed linear regression analysis. Using the above processing, we can get the predicted cumulative number of confirmed cases in Italy as shown in Figure 6. As shown in Figure 6, we can conclude that the Logistic model has a good fitting effect on the actual cumulative number of confirmed cases, thus providing reference value for departments and hospitals at all levels to effectively intervene and prevent the spread of new corona virus in the next few days.




Figure 6 Comparison of actual cumulative confirmed cases and simulated cumulative confirmed cases.

Discussion

The spread of COVID-19 is affected by many complex factors. In the early stage of the transmission of COVID-19, it is difficult to establish a Logistic model and parameter estimation and obtain a fairly accurate simulation result, but the initial estimated parameters such as the growth rate of the confirmed cases and the possible cumulative maximum confirmed cases can be obtained through existing data. It is helpful to solve important parameters such as infection rate and recovery rate, which will help us to grasp the transmission trend of COVID-19 more accurately.

Limitations

Promotion of the model: The SEIR model based on 2019-nCoV can be established. The SEIR model is superior to the logistic model in trend prediction, but due to the many parameters to be considered, the calculation error is greater than the logistic model.^{10–19} A dynamic growth rate model based on 2019-nCoV can be established. The dynamic growth rate model has a good fitting effect, but has a certain error. You can also optimize on the value of r . The methods of optimizing r are: 1. Perform grid optimization; 2. Perform bipartite optimization; You can optimize on the value of K and update in real time. After the turning point of the epidemic situation, that is, the fitting effect of the reducer and the saturation period is poor, and even a large error occurs.^{20–23}

Acknowledgments

This work was supported by the Philosophical and Social Sciences Research Project of Hubei Education Department (19Y049), and the Staring Research Foundation for the Ph.D. of Hubei University of Technology (BSQD2019054), Hubei Province, China.

Conflicts of interest

We have no conflict of interests to disclose and the manuscript has been read and approved by all named authors.

Funding

None.

References

1. <http://www.nhc.gov.cn/xcs/yqfkdt/202005/f8d5621b55b7434ba452daf9fa1aae7.shtml>
2. https://blog.csdn.net/z_ccsdn/article/details/104134358
3. https://blog.csdn.net/weixin_36474809/article/details/104101055
4. <https://mp.weixin.qq.com/>
5. <https://blog.csdn.net>
6. <https://www.baidu.com/link?url>
7. https://blog.csdn.net/qq_26822029/article/details/104106679
8. https://blog.csdn.net/qq_26822029/article/details/104213781
9. https://blog.csdn.net/weixin_38754123/article/details/104132255?utm_medium=distribute
10. Blog Commend From Machine Learn Pai 23 & depth_lutm_source=distribute.pc_relevant.
11. http://wjw.hubei.gov.cn/bmdt/ztzl/fkxgzbdgrfyyq/fkdt/202004/t20200419_2234552.shtml
12. <https://www.baidu.com/link?url>
13. National Health Commission of the People's Republic of China.
14. National Health Commission of the People's Republic of China.
15. <http://www.nhc.gov.cn/xcs/ptpxw/202001/8005b53f00f4f1185ec0175d6543fbf.shtml>
16. Ming W, Huang J, Zhang CJP. Breaking down of healthcare system: Mathematical modelling for controlling the novel coronavirus (COVID-19) outbreak in Wuhan, China. *BioRxiv*. 2020;12(1):627–630.
17. Health Commission of Hubei Province. 2020.
18. Chan JFW, Yuan S, Kok KH, et al. A familial cluster of pneumonia associated with the 2019 novel corona virus indicating person-to-person transmission: a study of a family cluster. *The Lancet*. 2020.
19. National Health Commission of the People's Republic of China. 2020.
20. Chaolin Huang, Yeming Wang, Xingwang Li, et al. Clinical features of patient infected with 2019 novel corona virus in Wuhan, China. *The Lancet*. 2020;395(10223):497–506.
21. Haagmans BL, Al Dhahiry SH, Reusken CB, et al. Middle East respiratory syndrome corona virus in dromedary camels: an outbreak investigation. *Lancet Infect Dis*. 2014;14(2):140–145.
22. Azhar EI, El-Kafrawy SA, Farraj SA, et al. Evidence for camel-to-human transmission of MERS corona virus. *N Engl J Med*. 2014;370:2499–2505.
23. Zhou P, Fan H, Lan T, et al. Fatal swine acute diarrhoea syndrome caused by an HKU2-related coronavirus of bat origin. *Nature*. 2018;556:255–258.