

Electrohydrodynamic atomization assisted encapsulation of bioactive compounds

Abstract

Electrohydrodynamic atomization (Electrospraying) is a versatile technique to produce microspheres or beads from various materials by means of electrical forces. Electrospraying has numerous advantages over traditional methods in encapsulation: there is high encapsulation efficiency without unfavorable denaturation of bioactive molecules and an enhanced control over the size distribution of particles. This technique could be used for encapsulating bioactive molecules such as proteins, enzymes, vitamins, polyphenols, drugs and sensitive ingredients, for lots of purposes such as masking the bitter test of compounds, sustained releasing, the stability of compounds during process or shelf life of foods, etc. Living cells and spores could be encapsulated by this method for bioenvironmental purposes. Beads can be made by a wide range of food grade and natural biodegradable polymers including alginate, starch, carrageenan, chitosan zein, etc., which makes their use suitable in the development of new foods with enhanced properties and characteristics. Encapsulation by this method also achieves the ability of sustained and controlled release of bioactive compounds by foods, and increasing the effectiveness of such compounds along the time.

Volume 1 Issue 2 - 2015

Alireza Mehregan Nikoo,¹ Rassoul Kadkhodaei,² Behrouz Ghorani,² Hussam Razzaq,³ Nick Tucker³

¹Department of food chemistry, Research Institute of Food science and Technology, Iran

²Department of food nanotechnology, Research Institute of Food science and Technology, Iran

³Department of food innovation, The New Zealand Institute for Plant and Food Research, New Zealand

Correspondence: Alireza Mehregan Nikoo, Research Institute of Food science and Technology, Mashhad, Iran, Tel +98 51 35425380, Fax +98-51 35003150, Email Alireza.mn@gmail.com

Received: June 6, 2015 | **Published:** July 17, 2015

Introduction

Electrospraying also known as an electrohydrodynamic atomization is a technique for atomizing liquids. The origin of electrospraying is on the base of the charged droplets theory which the interface of the droplets could be deformed by the applied electric field on a liquid droplet which egressing a capillary.¹ Electrospray is a well-known phenomenon which has different applications such as fabrication of inorganic nanoparticles, thin films deposition, nanoparticles deposition, aerosolization, fabrication of micro/nanocapsules, etc.² Electrospray could be applied in different status. Two simple systems are illustrated in Figure 1.

In Electrospray, liquid droplets are formed under a high externally applied electric field that helps the smaller sized droplets overcome the surface energy and break up into micro- or nano-sized droplets. It generates nearly monodisperse droplets with a narrow size distribution.³ There are some frequent techniques for micro or nanoparticle fabrication such as emulsification-evaporation salting-out/emulsification nanoprecipitation, ionic gelation, coacervation, and spray-drying which methods based on the emulsification are the most commonly applied for drug delivery systems formation.⁴

Electrospraying has several advantages compare to the mentioned frequent methods including: the use of an emulsion is optional but not required; the process have been performed in the ambient temperature or even colder rather than high temperatures which are used in spray-drying; usually there is no need for additional drying phase since particles become immediately dried in the procedure; and a higher control over the particle size distribution which they may include the semi-monodisperse particles.⁵ Synthesizing nano/microparticles for drug delivery with some aspects would be profitable, Like:

i. Omission of sonication or stirring to obviate the high shears;

ii. Higher drug loading;

iii. Higher drug distribution uniformity in the matrix;

iv. Lack of residual surfactants;

v. Convenience and scalability⁴ and encapsulation with electrospraying could have these advantages. Moreover for obtaining the invariant biological responses it is important that the size and the uniformity of the particles be on the control. By using the electrospraying technique in the appropriate operational conditions, it is possible to fabricate polymeric particles with the controlled size compare to the traditional methods.⁵

Natural polymers, such as polysaccharides, are widely used in pharmaceutical applications due to their good biocompatibility and biodegradability.⁶ Chitosan, alginate, pectin, etc. are often used as structural components for nano and microcontainers because their Biocompatibility and non-toxicity.⁷ Electrospray could be a mild method for preparing nano/microcapsules by this kind of polymers. Electrospray has been applied for encapsulation of therapeutic and bioactive molecules such as antibiotics⁸ anti-cancer agents⁹ growth factors² Enzymes.¹⁰ Also for encapsulation of adenoviruses (Ad) for the local delivery of Ad to target sites at a high concentration and subsequent enhancement of the therapeutic efficiency of Ad for cancer treatment¹¹ Living cells have been entrapped in microbeads by Electrospray to protect the encapsulated cells from the host's immune system.¹² To scaling up and increasing the output of the production a multiple nozzles system could be applied in parallel to overcome the low throughput of the one nozzle system.⁵ The current group members are working on the encapsulation of the drugs, bioactive compounds, living cells like bacteria and fern and mold spores with naturally accruing polymers by electrospraying which could be helpful in the developing of the novel food ingredients and bioenvironmental science, as well.




Figure 1 Schematic description of simple electro spray system using two types of collectors: A) Cross linking bath B) Plate.

Acknowledgements

None.

Conflict of interest

The author declares no conflict of interest.

References

- Jaworek A. Electrostatic micro- and nanoencapsulation and electroemulsification: a brief review. *J Microencapsul.* 2008;25(7):443–468.
- Xu Y, Hanna MA. Electro spray encapsulation of water-soluble protein with polylactide. Effects of formulations on morphology, encapsulation efficiency and release profile of particles. *Int J Pharm.* 2006;320(1-2):30–36.
- Hu JF, Li SF, Nair GR, et al. Predicting chitosan particle size produced by electrohydrodynamic atomization. *Chemical Engineering Science.* 2012;82:159–165.
- Chakraborty S, Liao IC, Adler A, et al. Electrohydrodynamics: A facile technique to fabricate drug delivery systems. *Adv Drug Deliv Rev.* 2009;61(12):1043–1054.
- Bock N, Dargaville TR, Woodruff MA. Electro spraying of polymers with therapeutic molecules: State of the art. *Progress in Polymer Science.* 2012;37(11):1510–1551.
- Yu CY, Zhang XC, Zhou FZ, et al. Sustained release of antineoplastic drugs from chitosan-reinforced alginate microparticle drug delivery systems. *Int J Pharm.* 2008;357(1-2):15–21.
- Masalova O, Kulikouskaya V, Shutava T, et al. Alginate and chitosan gel nanoparticles for efficient protein entrapment. *Physics Procedia.* 2013;40:69–75.
- Hong YL, Li YY, Yin YZ, et al. Electrohydrodynamic atomization of quasi-monodisperse drug-loaded spherical/wrinkled microparticles. *Journal of Aerosol Science.* 2008;39(6):525–536.
- Ranganath SH, Kee I, Krantz WB, et al. Hydrogel matrix entrapping PLGA-paclitaxel microspheres: drug delivery with near zero-order release and implantability advantages for malignant brain tumor chemotherapy. *Pharm Res.* 2009;26(9):2101–2114.
- Watanabe H, Matsuyama T, Yamamoto H. Preparation of immobilized enzyme gel particles using an electrostatic atomization technique. *Biochemical Engineering Journal.* 2001;8(2):171–174.
- Park H, Kim PH, Hwang T, et al. Fabrication of cross-linked alginate beads using electro spraying for adenovirus delivery. *Int J Pharm.* 2012;427(2):417–425.
- Xie J, Wang CH. Electro spray in the dripping mode for cell microencapsulation. *J Colloid Interface Sci.* 2007;312(2):247–255.