

Clinical Image





Isolated genital psoriasis a new case report

Keywords: psoriasis, genital, squamous

Introduction

Psoriasis is a chronic inflammatory skin disease, affecting both sexs at any age. Genital skin can also be affected by the psoriasis and is relatively commun.\(^1\) The presentation of genital psoriasis (GP) may mimic other diseases and can be confused with sexually transmitted infections.\(^2\) GP is often cause of discomfort and may even empair the patient's quality of life and specially sexual life.\(^3\) We report a case of genital lesions revealing a psoriasis. A 20 year-old man with no family history of psoriasis presented with itchy genital lesions evolving for the last two years on relapsing-remitting course. Clinical examination showed erythematosus and squamous plaques in the penile and scrotal skin, as well as a well demarcated erythema of the inguinal folds. Dermoscopy showed dotted vessels with a homogeneous distrubition. There was no phanerian or mucosal involvment. The patient was treated with potent topical steroids with a good outcome (Figure 1).



Figure I Erythematous and squamous plaque in the scotal and penile skin.

Volume 7 Issue 2 - 2019

S Ennaciri, S Mrabat, FZ Mernissi, MH Farih

¹Departement of Urology, University Hospital Hassan II, Morocco

²Departement of Dermatology, University Hospital Hassan II, Morocco

Correspondence: S Ennaciri, Department of Urology, University Hospital Hassan II, Morocco, Email soufenna@hotmail.com

Received: February 26, 2019 | Published: April 10, 2019

Acknowledgments

None.

Conflicts of interest

The authors declared there is no conflict of interest.

References

- Cather JC, Ryan C, Meeuwis K, et al. Patients' perspectives on the impact of genital psoriasis: a qualitative study. *Dermatol Ther (Heidelb)*. 2017;7(4):447–461.
- Czuczwar P, Stępniak A, Goren A, et al. Genital psoriasis: a hidden multidisciplinary problem-a review of literature. *Ginekol Pol.* 2016;87(10):717–721.
- Ryan C, Sadlier M, De Vol E, et al. Genital psoriasis is associated with significant impairment in quality of life and sexual functioning. *J Am Acad Dermatol*. 2015;72(6):978–83.